



ALASKAN COPPER & BRASS COMPANY

Stainless Steel

Aluminum



DISTRIBUTORS

Seattle Warehouse
3223 Sixth Ave. So. • Seattle, Washington
Telex: 32-0318 FAX: (206) 382-7335

Warehouses in Seattle and Portland

Mailing Address:
P.O. Box 3546 • Seattle, Washington 98124
Telephone: (206) 623-5800

July 10, 1995

Christie True
Acting Industrial Waste Program Manager
Environmental Program Division

RECEIVED
INDUSTRIAL WASTE
HAND-DELIVERED
JUL 12 1995

METRO

Subject: Response to the compliance order of June 9, 1995.

Dear Ms. True:

As requested by Metro, the following changes have been incorporated.

- I. Alaskan Copper Works has upgraded its pretreatment system as per our letter of May 15, 1995.
 1. Installation of a new separate flocculant mixing tank;
 2. Installation of dispersion manifold in clarifier;
 3. Installation of additional pH probe;
 4. Repair of suction line filter leak; and
 5. Engineering changes to the input line into the clarifier.
- II. The sample sump is on a cleaning schedule of once a week. A copy of the form used to record the cleaning is attached.
- III. We have increased our self monitoring sample frequency for chromium, copper, nickel, and zinc from twice per month to once per week beginning June 15, 1995 and ending December 15, 1995.
- IV. This letter summarizes all the required changes and a drawing of the clarifier modifications is attached.

In addition to the above Alaskan Copper Works has been sampling daily to insure that the changes we have made are giving the results intended. Inclosed are copies of the recorded data and a copy of all the lab results to date. Please call me with any questions at 399-3003.

James Brown

James Brown
Operations Manager